

## Załącznik nr 3

### Dane wejściowe do obliczeń - wariant III

### Program Leq Professional 6 - Wydruk danych

#### Źródła punktowe

Nr	Symbol	X[m]	Y[m]	Z[m]	PmA[dB]
1	DC2	184.8	110.4	8.0	58.0
2	DC2	183.4	110.4	8.0	58.0
3	DC2	181.9	110.4	8.0	58.0
4	DC2	180.5	110.4	8.0	58.0
5	DC2	179.0	110.4	8.0	58.0
6	DC2	179.0	109.4	8.0	58.0
7	DC2	180.5	109.4	8.0	58.0
8	DC2	181.9	109.4	8.0	58.0
9	DC2	183.4	109.4	8.0	58.0
10	DC2	184.8	109.4	8.0	58.0
11	W1	192.8	100.4	5.8	70.0
12	DC1	179.0	107.5	8.0	58.0
13	DC1	180.5	107.5	8.0	58.0
14	DC1	181.9	107.5	8.0	58.0
15	DC1	183.4	107.5	8.0	58.0
16	DC1	184.8	107.5	8.0	58.0
17	DC1	179.0	106.5	8.0	58.0
18	DC1	180.5	106.5	8.0	58.0
19	DC1	181.9	106.5	8.0	58.0
20	DC1	183.4	106.5	8.0	58.0
21	DC1	184.8	106.5	8.0	58.0
22	DC3	188.6	110.3	8.0	58.0
23	DC3	190.1	110.3	8.0	58.0
24	DC3	191.6	110.3	8.0	58.0
25	DC3	193.1	110.3	8.0	58.0
26	DC3	194.5	110.3	8.0	58.0
27	DC3	188.6	109.3	8.0	58.0
28	DC3	190.1	109.2	8.0	58.0
29	DC3	191.6	109.2	8.0	58.0
30	DC3	193.1	109.2	8.0	58.0
31	DC3	194.5	109.2	8.0	58.0

#### Ekran akustyczny

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	176.2	113.0	176.3	122.1	208.0	121.1	207.6	112.5	0.0	8.5
2	201.9	172.8	210.6	172.3	208.2	121.3	199.2	121.4	0.0	6.4
3	176.5	122.1	178.4	174.1	202.2	173.3	199.2	121.4	0.0	12.0
4	96.2	199.4	212.4	195.0	212.2	182.2	95.6	186.2	0.0	14.9
5	212.8	194.8	231.6	194.0	231.0	181.2	212.6	182.0	0.0	11.5
6	77.6	199.8	96.0	199.2	95.6	186.2	77.0	186.6	0.0	11.5
7	232.0	194.0	255.8	193.0	255.0	180.2	231.4	181.2	0.0	9.0
8	220.6	95.8	224.4	167.0	252.0	165.8	248.4	94.2	0.0	24.7
9	136.0	160.6	156.4	160.0	153.6	94.4	133.4	95.4	0.0	39.4
10	107.8	106.4	134.0	105.4	133.6	95.2	107.2	95.8	0.0	39.4
11	89.4	162.2	109.8	161.6	107.2	95.8	86.0	96.4	0.0	39.4

12	110.2	164.8	121.0	164.4	120.8	151.6	109.6	151.6	0.0	39.4
13	125.2	164.8	136.4	164.2	135.8	151.8	124.8	152.2	0.0	39.4
14	297.0	91.3	298.1	108.1	319.4	106.7	319.4	90.5	0.0	25.1
15	64.6	96.6	71.2	96.9	72.6	80.2	66.1	79.4	0.0	12.0
16	29.3	89.7	64.8	92.4	65.9	79.6	30.1	76.7	0.0	12.0
17	29.6	76.7	9.4	75.8	9.0	87.1	29.4	88.1	0.0	13.5
18	39.8	123.0	60.6	123.1	61.1	112.9	39.7	112.4	0.0	5.0
19	52.2	155.1	62.6	155.1	62.6	148.4	52.2	148.4	0.0	5.0
20	42.4	196.6	59.5	195.9	59.2	182.3	41.9	182.8	0.0	8.3
21	44.3	182.2	56.5	181.7	56.5	170.3	44.2	170.5	0.0	6.2
22	10.4	195.0	30.7	195.3	31.0	185.0	11.2	184.2	0.0	12.0
23	7.2	184.4	17.9	184.2	18.6	155.4	7.8	155.4	0.0	9.0
24	8.3	155.3	20.0	155.3	21.4	98.5	9.6	98.2	0.0	8.0
25	198.7	107.1	198.9	112.2	207.6	112.1	207.5	106.9	0.0	8.0

### Źródła typu hala produkcyjna

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
1	175.6	96.5	176.0	112.6	198.7	112.2	198.2	96.0	0.0	4.2
Ściana			Elementy							
nr	L_wew	Ra	nr	x	y	dx	dy	R_el		
1	43.0	32.0								
2	51.0	50.0								
3	54.0	50.0								
4	51.0	32.0								
Dach	54.0	10.0								

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	ho[m]	h[m]
2	198.4	99.0	198.7	106.9	207.3	106.8	207.2	98.8	0.0	5.4
Ściana			Elementy							
nr	L_wew	Ra	nr	x	y	dx	dy	R_el		
1	78.4	50.0								
2	78.9	50.0								
3	75.9	33.2								
4	78.4	20.6								
Dach	78.0	15.0								